

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	
Kotaro AKUTSU)	Examiner: J. L. Smith, II
	:	
Application No.: 10/649,645)	Group Art Unit: 2881
	:	
Filed: August 28, 2003)	Confirmation No.: 5560
	:	
For: EXPOSURE APPARATUS)	October 24, 2006
	:	
U.S. Patent No. 7,057,193 B2)	
	:	
Issued: June 6, 2006)	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Attention: Certificate of Correction Branch

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

Patentee notes the following errors in the above-identified patent:

COLUMN 5:

Line 32, "so arranged" should read -- arranged so --.

Line 41, "so arranged" should read -- arranged so --.

COLUMN 7:

Line 32, "θ0 direction" should read --θ direction --.

These errors are relatively insignificant. Therefore, Patentee believes that filing a Request for Certificate of Correction is not warranted. Rather, Patentee requests that this paper be placed of record in the official file of the subject patent.

Patentee believes no fee is due for filing this paper. Nevertheless, the Commissioner is authorized to charge Deposit Account No. 06-1205 should any fee be deemed required.

Patentee's undersigned attorney may be reached in our Washington, D.C. Office by telephone at (202) 530-1010. All correspondence should continue to be directed to our below-listed address.

Respectfully submitted,



Attorney for Patentee

Steven E. Warner

Registration No. 33,326

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200
SEW/eab